




UNIVERSITY OF  
ILLINOIS LIBRARY  
AT URBANA-CHAMPAIGN

NATURAL HISTORY MUSEUM





0.5  
I  
69  
1.2  
3

Nat Hist sur.

# FIELDIANA Zoology

Published by Field Museum of Natural History

Volume 69, No. 2

November 22, 1976

## Supplementary Catalogue of Type Specimens of Reptiles and Amphibians in Field Museum of Natural History

HYMEN MARX  
CURATOR, AMPHIBIANS AND REPTILES  
FIELD MUSEUM OF NATURAL HISTORY

The need for inventories of various systematic collections has become increasingly apparent as the size of research collections grew over the past decades (Wake et. al., 1975). This supplemental list of types was primarily stimulated into being by a report on herpetological collections (*ibid.*), growth of the Field Museum of Natural History herpetological collections, and the numerous requests for information on typic materials in the Edward H. Taylor collection deposited at this Museum.

The list of types in this text are of named forms of reptiles and amphibians not listed in the earlier "Type List" (Marx, 1958) plus holotypes of listed forms in that text subsequently added to the collection.

The total inventory of type material is summarized in Table 1.  
Gretchen Anderson kindly typed this manuscript.

TABLE 1. Amount of named forms of amphibians and reptiles represented by typic specimens in Field Museum of Natural History (Marx, 1958; present text).

	Holotypes	Lectotype	Neotypes	Cotypes	Paratypes	Totals
Caecilians	8				9	17
Salamanders	59		1		66	126
Frogs	146			26	231	403
Crocodiles	3					3
Turtles	5			2	11	18
Lizards	121	1		13	196	331
Snakes	107		5	5	124	241
Totals	449	1	6	46	637	1,139

US ISSN 0015-0754

Library of Congress Catalog Number: 76-45053

Publication 1243

NATURAL HISTORY SURVEY NATURAL HISTORY SURVEY

33

FEB 28 1977 FEB 10 1977

LIBRARY

## AMPHIBIA

## APODA

**Afrocaecilia taitana** Loveridge; see *Boulengerula taitanus*  
(Loveridge)

**Afrocaecilia uluguruensis** Barbour and Loveridge; see  
*Boulengerula uluguruensis* (Barbour and Loveridge)

**Boulengerula taitanus** Loveridge, 1935  
= *Afrocaecilia taitana* (Loveridge), 1935  
3 paratypes Kenya

**Boulengerula uluguruensis** Barbour and Loveridge, 1928  
= *Afrocaecilia uluguruensis* (Barbour and Loveridge), 1928  
3 paratypes Tanganyika

**Caecilia antioquiaensis** Taylor, 1968  
Holotype: FMNH 69680 Colombia

**Caecilia occidentalis** Taylor, 1968  
Holotype: FMNH 189202 Colombia

**Caecilia orientalis** Taylor, 1968  
3 paratypes Ecuador

**Caecilia perdita** Taylor, 1968  
1 paratype Colombia

**Caecilia subterminalis** Taylor, 1968  
Holotype: FMNH 189204 Ecuador

**Caecilia volcani** Taylor, 1969  
8 paratypes Panama

**Dermophis balboai** Taylor, 1968  
2 paratypes Colombia

<b><i>Epicrinops petersi petersi</i></b> Taylor, 1968 1 paratype	Ecuador
<b><i>Gegeneophis ramaswanii</i></b> Taylor, 1964 4 paratypes	India
<b><i>Geotrypetes pseudoangeli</i></b> Taylor, 1968 Holotype: FMNH 189185	Liberia
<b><i>Ichthyophis mindanaoensis</i></b> Taylor, 1960 Holotype: FMNH 50958; 15 paratypes	Mindanao
<b><i>Ichthyophis subterrestris</i></b> Taylor, 1960 Holotype: FMNH 73927	India
<b><i>Ichthyophis supachaii</i></b> Taylor, 1960 Holotype: FMNH 189246; 11 paratypes	Thailand
<b><i>Ichthyophis youngorum</i></b> Taylor, 1960 Holotype: FMNH 189250; 10 paratypes	Thailand

## CAUDATA

<b><i>Ambystoma amblycephala</i></b> Taylor, 1939 Holotype: FMNH 100104; 1 paratype	Mexico
<b><i>Ambystoma bombypellum</i></b> Taylor, 1940 Holotype: FMNH 100127	Mexico
<b><i>Ambystoma fluvinatum</i></b> Taylor, 1941 = <i>Ambystoma rosaceum</i> Taylor, 1941 Holotype: FMNH 100108; 8 paratypes	Mexico
<b><i>Ambystoma granulosum</i></b> Taylor, 1944 Holotype: FMNH 100106; 8 paratypes	Mexico

- Ambystoma lacustris** Taylor and Smith, 1945  
9 paratypes Mexico
- Ambystoma lermaensis** (Taylor); see *Siredon lermaensis* Taylor
- Ambystoma ordinaria** Taylor, 1940  
Holotype: 100055; 7 paratypes Mexico
- Ambystoma rosaceum** Taylor, 1941  
Holotype: FMNH 100079; 4 paratypes Mexico  
also see *Ambystoma fluinatum* Taylor, 1941
- Ambystoma subsalsum** Taylor, 1943  
Holotype: FMNH 100007; 26 paratypes Mexico
- Aneides hardii** (Taylor); see *Plethodon hardii* Taylor
- Bolitoglossa arborea** Taylor, 1941  
= *Chiropterotriton arboreus* (Taylor), 1941  
Holotype: FMNH 100022; 11 paratypes Mexico
- Bolitoglossa capitana** Brame and Wake, 1963  
1 paratype Colombia
- Bolitoglossa cephalica rubrimembris** Taylor and Smith, 1945  
= *Pseudoeurycea cephalica rubrimembris* (Taylor and Smith),  
1945  
2 paratypes Mexico
- Bolitoglossa chondrostega** Taylor, 1941  
= *Chiropterotriton c. chondrostega* (Taylor), 1941  
Holotype: FMNH 100076; 10 paratypes Mexico
- Bolitoglossa cochranæ** Taylor, 1943  
= *Pseudoeurycea cochranæ* (Taylor), 1943  
Holotype: FMNH 100091; 4 paratypes Mexico



- Bolitoglossa dimidiata** Taylor, 1940  
 = *Chiropterotriton dimidiatus* (Taylor), 1940  
 Holotype: FMNH 100023; 1 paratype Mexico
- Bolitoglossa galaenae** Taylor, 1941  
 = *Pseudoeurycea galaenae* (Taylor), 1941  
 Holotype: FMNH 100113; 1 paratype Mexico
- Bolitoglossa lavae** Taylor, 1942  
 = *Chiropterotriton lavae* (Taylor), 1942  
 Holotype: FMNH 100118; 88 paratypes Mexico
- Bolitoglossa mexicana** Duméril and Bibron; see *Bolitoglossa moreleti* Smith; *Oedipus odonelli* Stuart
- Bolitoglossa moreleti** H. M. Smith, 1941  
 = *Bolitoglossa mexicana* Duméril and Bibron, 1854  
 1 paratype Mexico
- Bolitoglossa nigroflavescens** Taylor, 1941  
 7 paratypes Mexico
- Bolitoglossa occidentalis** Taylor, 1941  
 16 paratypes Mexico and Guatemala
- Bolitoglossa muelleri** (Brocchi); see *Oedipus odonelli* Stuart
- Bolitoglossa savagei** Brame and Wake, 1963  
 1 paratype Colombia
- Bolitoglossa schizodactyla** Wake and Brame, 1966  
 Holotype: FMNH 141241; 7 paratypes Panama
- Bolitoglossa terrestris** Taylor, 1941  
 = *Chiropterotriton chondrostega terrestris* (Taylor), 1941  
 Holotype: FMNH 100121; 129 paratypes Mexico

- Bolitoglossa unguidentis** Taylor, 1941  
= *Pseudoeurycea smithi* (Taylor), 1938  
Holotype: FMNH 100045; 13 paratypes Mexico
- Chiropterotriton abscondens** Taylor, 1948  
Holotype: FMNH 178285; 3 paratypes Costa Rica
- Chiropterotriton arboreus** (Taylor); see *Bolitoglossa arborea*  
Taylor
- Chiropterotriton c. chondrostega** (Taylor); see *Bolitoglossa*  
*chondrostega* Taylor
- Chiropterotriton chondrostega cracens** Rabb, 1958  
3 paratypes Mexico
- Chiropterotriton chondrostega terrestris** (Taylor); see  
*Bolitoglossa terrestris* Taylor
- Chiropterotriton dimidiatus** (Taylor); see *Bolitoglossa dimidiata*  
Taylor
- Chiropterotriton laevae** (Taylor); see *Bolitoglossa laevae* Taylor
- Chiropterotriton magnipes** Rabb, 1965  
2 paratypes Mexico
- Cynops pyrrhogaster popei** (Inger); see *Triturus ensicaudus*  
*popei* Inger
- Dicamptodon copei** Nussbaum, 1970  
3 paratypes Washington
- Eurycea aquatica** Rose and Bush, 1963  
2 paratypes Alabama

- Gyrinophilus palleucus gulolineatus** Brandon, 1965  
 Holotype: FMNH 142327; 1 paratype Tennessee
- Gyrinophilus palleucus necturoides** Lazell and Brandon, 1962  
 1 paratype Tennessee
- Oedipina bonitaensis** Taylor, 1952  
 = *Oedipina uniformis* Keferstein, 1868  
 3 paratypes Costa Rica
- Oedipina cyclocauda** Taylor, 1952  
 39 paratypes Costa Rica
- Oedipina gracilis** Taylor, 1952  
 = *Oedipina uniformis* Keferstein, 1868  
 2 paratypes Costa Rica
- Oedipina uniformis** Keferstein: see *Oedipina bonitaensis* Taylor;  
*Oedipina gracilis* Taylor
- Oedipus altamontanus** Taylor, 1939  
 = *Pseudoeurycea altamontana* (Taylor), 1939  
 Holotype: FMNH 100035; 1 paratype Mexico
- Oedipus giganteus** Taylor, 1939  
 = *Pseudoeurycea bellii gigantea* (Taylor), 1939  
 2 paratypes Mexico
- Oedipus odonelli** Stuart, 1943  
 = *Bolitoglossa mexicana* Dumèril and Bibron, 1854  
 1 paratype Guatemala
- Oedipus robertsi** Taylor, 1939  
 = *Pseudoeurycea robertsi* (Taylor), 1939  
 Holotype: FMNH 100002; 10 paratypes Mexico

- Oedipus smithi** Taylor, 1939  
 = *Pseudoeurycea smithi* (Taylor), 1939  
 Holotype: FMNH 100011; 21 paratypes Mexico
- Parvemolge richardi** Taylor, 1949  
 Holotype: FMNH 178295 Costa Rica
- Plethodon hardii** Taylor, 1941  
 = *Aneides hardii* (Taylor), 1941  
 Holotype: FMNH 100103 New Mexico
- Plethodon longicrus** Adler and Dennis, 1962  
 2 paratypes North Carolina
- Plethodon richmondi shenandoah** Highton and Worthington,  
 1967  
 2 paratypes Virginia
- Plethodon stormi** Highton and Brame, 1965  
 1 paratype Oregon
- Pseudoeurycea altamontana** (Taylor); see *Oeidipus  
 altamontanus* Taylor
- Pseudoeurycea bellii gigantea** (Taylor); see *Oedipus giganteus*  
 Taylor
- Pseudoeurycea c. cephalica** (Cope); see *Spelerpes cephalicus*  
 Cope
- Pseudoeurycea cephalica rubrimembris** (Taylor and Smith);  
 see *Bolitoglossa cephalica rubrimembris* Taylor and Smith
- Pseudoeurycea cochranæ** (Taylor); see *Bolitoglossa cochranæ*  
 Taylor

**Pseudoeurycea galaenae** (Taylor); see *Bolitoglossa galaenae*  
Taylor

**Pseudoeurycea robertsi** (Taylor); see *Oedipus robertsi* Taylor

**Pseudoeurycea smithi** (Taylor); see *Oedipus smithi* Taylor;  
*Bolitoglossa unguidentis* Taylor

**Rhyacosiredon leorae** Taylor, 1943

Holotype: FMNH 100041; 1 paratype

Mexico

**Rhyacosiredon rivularis** Taylor, 1940

Holotype: FMNH 100003; 3 paratypes

Mexico

**Siredon lermaensis** Taylor, 1940

= *Ambystoma lermaensis* (Taylor), 1940

Holotype: FMNH 100029

Mexico

**Spelerpes cephalicus** Cope, 1865

= *Pseudoeurycea c. cephalica* (Cope), 1865

Neotype: FMNH 100018

Mexico

**Thorius dubitus** Taylor, 1941

Holotype: FMNH 100039; 36 paratypes

Mexico

**Thorius narisovalis** Taylor, 1940

Holotype: FMNH 100089; 46 paratypes

Mexico

**Thorius schmidti** Gehlbach, 1959

3 paratypes

Mexico

**Thorius troglodytes** Taylor, 1941

Holotype: FMNH 100112; 5 paratypes

Mexico

**Triturus ensicaudus popei** Inger, 1947

= *Cynops pyrrhogaster popei* (Inger), 1947

Holotype: FMNH 45039; 9 paratypes

Riu Kiu Ids.

## SALIENTIA

**Acrodytes inflata** Taylor, 1944= *Phrynohyas venulosa* (Laurenti), 1768

Holotype: FMNH 100046; 2 paratypes

Mexico

**Agalychnis annae** (Duellman); see *Phyllomedusa annae*

Duellman

**Agalychnis callidrys** (Cope); see *Phyllomedusa callidrys taylori*

Funkhouser

**Amblyphrynus ingeri** Cochran and Goin, 1961

Holotype: FMNH 81915

Colombia

**Amolops kinabaluensis** Inger, 1966

Holotype: FMNH 109798; 2 paratypes

North Borneo

**Amphodus tuberculosus** (Bokermann); see *Phyllodytes**tuberculosus* Bokermann**Ansonia fuliginea** (Moquard); see *Nectophryne altitudinus* M. A. Smith**Ansonia albomaculata** Inger, 1960

Holotype: FMNH 81975; 6 paratypes

Sarawak

**Ansonia guibei** Inger, 1966

Holotype: FMNH 152159

North Borneo

**Ansonia hanitschi** Inger, 1960

2 paratypes

North Borneo

**Ansonia l. longidigita** Inger, 1960

7 paratypes

North Borneo and Sarawak

- Ansonia longidigita gryllivoca** Inger, 1960  
Holotype: FMNH 77397; 18 paratypes North Borneo
- Ansonia malayana** Inger, 1960  
2 paratypes Siam and Malaya
- Ansonia minuta** Inger, 1960  
Holotype: FMNH 77424; 21 paratypes Sarawak
- Ansonia ornata** Gunther, 1875  
1 cotype India
- Ansonia platysoma** Inger, 1960  
Holotype: FMNH 28213; 2 paratypes North Borneo
- Arthrolepis troglodytes** Poyton, 1963  
1 paratype Rhodesia
- Atelopus ebenoides** Rivero, 1963  
Holotype: FMNH 69746 Colombia
- Atelopus longibrachius** Rivero, 1963  
Holotype: FMNH 54283; 27 paratypes Colombia
- Atelopus loomisi** Taylor; see *Atelopus varius loomisi* Taylor
- Atelopus mindoensis** Peters, 1973  
1 paratype Ecuador
- Atelopus nicefori** Rivero, 1963  
Holotype: FMNH 69748; 2 paratypes Colombia
- Atelopus pedimarmoratus** Rivero, 1963  
Holotype: FMNH 81872 Colombia

- Atelopus senex** Taylor, 1952  
 Holotype: FMNH 178224 Costa Rica
- Atelopus varius ambulatorius** Taylor, 1952  
 Holotype: FMNH 178270 Costa Rica
- Atelopus varius loomisi** Taylor, 1952  
 = *Atelopus loomisi* Taylor, 1952  
 3 paratypes Costa Rica
- Bufo biporcatus divergens** Peters; see *Bufo divergens* Peters
- Bufo cristiglans** Inger and Menzies, 1961  
 Holotype: FMNH 109741; 2 paratypes Sierre Leone
- Bufo divergens** Peters, 1871  
 = *Bufo biporcatus divergens* Peters, 1871  
 1 paratype Sarawak
- Bufo f. funereus** Bocage; see *Bufo funereus upembae* Schmidt  
 and Inger
- Bufo funereus upembae** Schmidt and Inger, 1959  
 = *Bufo f. funereus* Bocage, 1866  
 14 paratypes Belgian Congo
- Bufo gemmifer** Taylor, 1940  
 Holotype: FMNH 100026; 8 paratypes Mexico
- Bufo juxtasper** Inger, 1964  
 Holotype: FMNH 77472; 30 paratypes Borneo
- Bufo koynanensis** Soman; see *Bufo sulphureus* Grandison and  
 Daniel
- Bufo kelloggi** Taylor, 1938  
 Holotype: FMNH 100088; 16 paratypes Mexico



- Bufo mazatlanensis** Taylor, 1940  
 Holotype: FMNH 100027; 3 paratypes Mexico  
 also see *Bufo nayaritensis* Taylor
- Bufo melanopleura** Schmidt and Inger, 1959  
 14 paratypes Belgian Congo
- Bufo nayaritensis** Taylor, 1943  
 = *Bufo mazatlanensis* Taylor, 1940  
 Holotype: FMNH 100043; 4 paratypes Mexico
- Bufo periglens** Savage, 1966  
 3 paratypes Costa Rica
- Bufo perplexus** Taylor, 1943  
 Holotype: FMNH 100053; 60 paratypes Mexico
- Bufo sulphureus** Grandison and Daniel, 1964  
 = *Bufo koynanensis* Soman, 1963  
 1 paratype India
- Bufo togoensis** Ahl, 1924  
 1 paratype Togoland
- Cacosternum magnaglandiferus** Inger, 1959  
 = *Cacosternum namum* Boulenger, 1887  
 5 paratypes South Africa
- Cacosternum namum** Boulenger: see *Cacosternum magnaglandiferus* Inger
- Callixalus pictus** Laurent, 1950  
 2 paratypes Congo
- Centrolenella albomaculata** Taylor, 1949  
 1 paratype Costa Rica

- Centrolenella colymbiphyllum** Taylor, 1949  
1 paratype Costa Rica
- Centrolenella granulosa** Taylor, 1949  
Holotype: FMNH 178269 Costa Rica
- Centrolenella spinosa** Taylor, 1949  
3 paratypes Costa Rica
- Centrolenella viridissima** Taylor, 1942  
Holotype: FMNH 100093; 5 paratypes Mexico
- Ceratophrys stolzmannii scaphiopeza** Peters, 1967  
1 paratype Ecuador
- Chaperina punctata** van Kampen, 1913  
= *Sphenophryne macrorhyncha* (van Kampen), 1906  
1 cotype New Guinea
- Chirixalus doriae** Boulenger, 1888  
= *Philautus doriae* (Boulenger), 1888  
1 paratype Burma
- Chrysobatrachus cupreonitens** Laurent, 1951  
2 paratypes Congo
- Colostethus dunnii** (Rivero); see *Prostheraspis dunnii* Rivero
- Colostethus nubicola** (Dunn); see *Phyllobates flotator* Dunn;  
*Phyllobates nubicola* Dunn
- Colostethus panamensis** (Dunn); see *Hyloxalus panamensis*  
Dunn
- Cornufer beauforti** van Kampen, 1913  
= *Platymantis beauforti* (van Kampen), 1913  
2 cotypes Waigeu Id.

- Cornufer ingeri** Brown and Alcalá, 1963  
 = *Platymantis ingeri* (Brown and Alcalá), 1963  
 2 paratypes Philippine Ids.
- Cornufer rivularis** Taylor, 1922  
 = *Platymantis hazelae* Taylor, 1920  
 1 paratype Philippine Ids.
- Crossodactylus schmidti** Gallardo, 1961  
 1 paratype Argentina
- Dendrobates fulguritus** Silverstone, 1975  
 2 paratypes Colombia
- Eleutherodactylus alfredi conspicuus** Taylor and Smith; see  
*Eleutherodactylus conspicuus* Taylor and Smith
- Eleutherodactylus cactorum** Taylor, 1939  
 = *Hylactophryne angusti* (Dugès), 1879  
 Holotype: FMNH 100021; 2 paratypes Mexico
- Eleutherodactylus caryophyllaceus** (Barbour); see *Syrhopus*  
*caryophyllaceus* Barbour
- Eleutherodactylus cochranæ** Grant, 1932  
 2 paratypes Lesser Antilles
- Eleutherodactylus conspicuus** Taylor and Smith, 1945  
 = *Eleutherodactylus alfredi conspicuus* Taylor and Smith,  
 1945  
 2 paratypes Guatemala
- Eleutherodactylus costaricensis** (Taylor); see *Microbatrachylus*  
*costaricensis* Taylor
- Eleutherodactylus crassidigitus** Taylor, 1952  
 4 paratypes Costa Rica

- Centrolenella colymbiphylum** Taylor, 1949  
1 paratype Costa Rica
- Centrolenella granulosa** Taylor, 1949  
Holotype: FMNH 178269 Costa Rica
- Centrolenella spinosa** Taylor, 1949  
3 paratypes Costa Rica
- Centrolenella viridissima** Taylor, 1942  
Holotype: FMNH 100093; 5 paratypes Mexico
- Ceratophrys stolzmannii scaphiopeza** Peters, 1967  
1 paratype Ecuador
- Chaperina punctata** van Kampen, 1913  
= *Sphenophryne macrorhyncha* (van Kampen), 1906  
1 cotype New Guinea
- Chirixalus doriae** Boulenger, 1888  
= *Philautus doriae* (Boulenger), 1888  
1 paratype Burma
- Chrysobatrachus cupreonitens** Laurent, 1951  
2 paratypes Congo
- Colostethus dunnii** (Rivero); see *Prostheraspis dunnii* Rivero
- Colostethus nubicola** (Dunn); see *Phyllobates flotator* Dunn;  
*Phyllobates nubicola* Dunn
- Colostethus panamensis** (Dunn); see *Hyloxalus panamensis*  
Dunn
- Cornufer beauforti** van Kampen, 1913  
= *Platymantis beauforti* (van Kampen), 1913  
2 cotypes Waigeu Id.

- Cornufer ingeri** Brown and Alcalá, 1963  
 = *Platymantis ingeri* (Brown and Alcalá), 1963  
 2 paratypes Philippine Ids.
- Cornufer rivularis** Taylor, 1922  
 = *Platymantis hazelae* Taylor, 1920  
 1 paratype Philippine Ids.
- Crossodactylus schmidti** Gallardo, 1961  
 1 paratype Argentina
- Dendrobates fulguritus** Silverstone, 1975  
 2 paratypes Colombia
- Eleutherodactylus alfredi conspicuus** Taylor and Smith; see  
*Eleutherodactylus conspicuus* Taylor and Smith
- Eleutherodactylus cactorum** Taylor, 1939  
 = *Hylactophryne angusti* (Dugès), 1879  
 Holotype: FMNH 100021; 2 paratypes Mexico
- Eleutherodactylus caryophyllaceus** (Barbour); see *Syrhopus*  
*caryophyllaceus* Barbour
- Eleutherodactylus cochranæ** Grant, 1932  
 2 paratypes Lesser Antilles
- Eleutherodactylus conspicuus** Taylor and Smith, 1945  
 = *Eleutherodactylus alfredi conspicuus* Taylor and Smith,  
 1945  
 2 paratypes Guatemala
- Eleutherodactylus costaricensis** (Taylor); see *Microbatrachylus*  
*costaricensis* Taylor
- Eleutherodactylus crassidigitus** Taylor, 1952  
 4 paratypes Costa Rica

- Eleutherodactylus vocalis** Taylor, 1940  
 Holotype: FMNH 100122; 4 paratypes Mexico
- Elosia magalhaesi** Bokermann, 1964  
 1 paratype Brazil
- Elosia ornata** Bokermann, 1967  
 1 paratype Brazil
- Eupsophus vertebralis** Grandison, 1961  
 3 paratypes Chile
- Gastrophryne olivacea mazatlanensis** (Taylor); see *Microhyla mazatlanensis* Taylor
- Gastrotheca aureomaculata** Cochran and Goin, 1970  
 Holotype: FMNH 69701 Colombia
- Gastrotheca medemi** Cochran and Goin, 1970  
 1 paratype Colombia
- Hemisis marmoratus ingeri** Laurent, 1972  
 3 paratypes Congo
- Hemisis wittei** Laurent, 1963  
 3 paratypes Congo
- Hyla alleei** Taylor, 1952  
 = *Hyla uranochroa* Cope, 1876  
 Holotype: FMNH 178234; 1 paratype Costa Rica
- Hyla arboricola** Taylor, 1941  
 = *Hyla eximia* Baird, 1854  
 Holotype: FMNH 100131; 18 paratypes Mexico
- Hyla blairi** Fouquette and Pyburn, 1972  
 1 paratype Colombia

- Hyla bogerti** Cochran and Goin, 1970  
9 paratypes  
Colombia
- Hyla bromeliana** Taylor, 1939  
= *Hyla taeniopus* Gunther, 1901  
Holotype: FMNH 100075; 3 paratypes  
Mexico
- Hyla cardenasi** Taylor, 1939  
= *Hypa eximia* Baird, 1854  
1 paratype  
Mexico
- Hyla carnifex** Duellman, 1969  
5 paratypes  
Ecuador
- Hyla carri** Cochran and Goin, 1970  
Holotype: FMNH 69702  
Colombia
- Hyla debilis** Taylor, 1952  
1 paratype  
Costa Rica
- Hyla erythromma** Taylor, 1937  
Holotype: FMNH 100083  
Mexico
- Hyla eximia** Baird; see *Hyla arboricola* Taylor; *Hyla cardenasi* Taylor
- Hyla fimbrimembra** Taylor, 1948  
Holotype: FMNH 191784  
Costa Rica  
also see *Hyla richardtaylori* Taylor
- Hyla godmani** Gunther; see *Hyla rickardsi* Taylor
- Hyla guibei** Cochran and Goin, 1970  
Holotype: FMNH 54773  
Colombia
- Hyla hazelae** Taylor, 1940  
Holotype: FMNH 100047; 1 paratype  
Mexico

- Hyla leali** Bokermann, 1964  
1 paratype Brazil
- Hyla loquax** Gaige and Stuart, 1934  
1 paratype Guatemala
- Hyla madeirae** Bokermann, 1964  
1 paratype Brazil
- Hyla mathiassoni** Cochran and Goin, 1970  
Holotype: FMNH 81779; 4 paratypes Colombia
- Hyla melanomma** Taylor, 1940  
Holotype: FMNH 100074; 16 paratypes Mexico
- Hyla paramica** Rivero, 1961  
2 paratypes Venezuela
- Hyla regilla cascadae** Jameson, Mackey and Richmond, 1966  
18 paratypes Oregon
- Hyla regilla pacifica** Jameson, Mackey and Richmond, 1966  
18 paratypes Oregon
- Hyla regilla palouse** Jameson, Mackey and Richmond, 1966  
5 paratypes Oregon
- Hyla regilla sierra** Jameson, Mackey and Richmond, 1966  
7 paratypes California
- Hyla regilla wrightorum** Taylor; see *Hyla wrightorum* Taylor
- Hyla richardtaylori** Taylor, 1948  
= *Hyla fimbriembra* Taylor, 1948  
Holotype: FMNH 191783 Costa Rica



- Hyla rickardsi** Taylor, 1939  
 = *Hyla godmani* Gunther, 1901  
 Holotype: FMNH 100077; 82 paratypes Mexico
- Hyla rivularis** Taylor, 1952  
 4 paratypes Costa Rica
- Hyla robertmertensi** Taylor, 1937  
 Holotype: FMNH 100096; 72 paratypes Mexico
- Hyla robertsorum** Taylor, 1940  
 Holotype: FMNH 100124; 31 paratypes Mexico
- Hyla rubracyla** Cochran and Goin, 1970  
 1 paratype Colombia
- Hyla rufiocularis** Taylor, 1952  
 16 paratypes Costa Rica
- Hyla rufitela** Fouquette, 1961  
 Holotype: FMNH 13053; 5 paratypes Panama
- Hyla sanguinolenta** van Kampen, 1909  
 1 cotype New Guinea
- Hyla smaragdina** Taylor, 1940  
 Holotype: FMNH 100009; 19 paratypes Mexico
- Hyla taeniopus** Gunther; see *Hyla bromeliana* Taylor
- Hyla tritaeniata** Bokemann, 1965  
 1 paratype Brazil
- Hyla trux** Adler and Dennis, 1972  
 1 paratype Mexico

- Hyla uranochroa** Cope; see *Hyla alleei* Taylor
- Hyla wilsoniana meridensis** Rivero, 1961  
2 paratypes Venezuela
- Hyla walfordi** Bokermann, 1962  
1 paratype Brazil
- Hyla wrightorum** Taylor, 1939  
= *Hyla regilla wrightorum* Taylor, 1939  
1 paratype Arizona
- Hylactophryne augusti** (Dugès); see *Eleutherodactylus cactorum* Taylor
- Hylarana maosonensis** Bourret, 1937  
= *Rana maosonensis* (Bourret), 1937  
2 cotypes Indo-China
- Hyloxalus panamensis** Dunn, 1933  
= *Colostethus panamensis* (Dunn), 1933  
1 paratype Panama
- Hyperolius bayoni** (Boulenger); see *Rappia bayoni* Boulenger
- Hyperolius castaneus constellatus** Laurent, 1951  
2 paratypes Congo
- Hyperolius frontalis** Laurent, 1950  
2 paratypes Congo
- Hyperolius kibarae** Laurent, 1957  
409 paratypes Belgian Congo
- Hyperolius lateralis bogerti** Laurent, 1951  
2 paratypes Congo

- Hyperolius lateralis capnogaster** Laurent, 1951  
2 paratypes Congo
- Hyperolius lateralis guibi** Laurent, 1951  
2 paratypes Congo
- Hyperolius lateralis kochi** Laurent, 1951  
2 paratypes Congo
- Hyperolius lateralis pulcherrimus** Laurent, 1951  
2 paratypes Congo
- Hyperolius leucotaenius** Laurent, 1950  
2 paratypes Congo
- Hyperolius marmoratus epheboide** Laurent, 1957  
218 paratypes Belgian Congo
- Hyperolius platyceps major** Laurent, 1957  
32 paratypes Belgian Congo
- Hyperolius platyceps olbrechtsi** Laurent, 1952  
2 paratypes Congo
- Hyperolius viridiflavus francoisi** Laurent, 1950  
2 paratypes Congo
- Hyperolius viridiflavus hybridus** Laurent, 1951  
2 paratypes Congo
- Hyperolius viridiflavus intermedius** Laurent, 1950  
2 paratypes Congo
- Hyperolius viridiflavus xanthorammus** Laurent, 1950  
2 paratypes Congo

- Hypopachus alboventer** Taylor, 1940  
Holotype: FMNH 100085; 9 paratypes Mexico
- Hypopachus caprimimus** Taylor, 1940  
Holotype: FMNH 100086; 17 paratypes Mexico
- Hypopachus cuneus nigroreticulatus** Taylor, 1940  
Holotype: FMNH 100064; 57 paratypes Mexico
- Hypopachus maculatus** Taylor, 1940  
Holotype: FMNH 100087; 2 paratypes Mexico
- Hypopachus ovis** Taylor, 1940  
= *Hypopachus oxyrhinus ovis* Taylor, 1940  
Holotype: FMNH 100078; 34 paratypes Mexico
- Hypopachus oxyrhinus ovis** Taylor; see *Hypopachus ovis*  
Taylor
- Ixalus parvulus** Boulenger, 1888  
= *Philautus parvulus* (Boulenger), 1888  
1 paratype Burma
- Kalophrynus intermedius** Inger, 1966  
Holotype: FMNH 139348; 2 paratypes Borneo
- Kalophrynus subterrestris** Inger, 1966  
Holotype: FMNH 150421; 11 paratypes Borneo
- Kassina ingeri** Laurent, 1963  
Holotype: FMNH 133011; 1 paratype Northern Rhodesia
- Leptobrachium hasselti** Tschudi; see *Leptobrachium*  
*hendricksoni* Taylor
- Leptobrachium hasseltii pullus** (M. A. Smith); see *Megalophrys*  
*hasseltii* var. *pullus* M. A. Smith

- Leptobranchium hendricksoni** Taylor, 1962  
 = *Leptobranchium hasseltii* Tschudi, 1838  
 Holotype: FMNH 178259; 2 paratypes Thailand
- Leptobranchium minimum** Taylor, 1962  
 = *Megophrys minimum* (Taylor), 1962  
 Holotype: FMNH 178228; 2 paratypes Thailand
- Leptobatrachium nigrops** Berry and Hendrickson, 1963  
 Holotype: FMNH 134719; 1 paratype Malaya
- Leptodactylus occidentalis** Taylor, 1936  
 Holotype: FMNH 100015; 23 paratypes Mexico
- Leptopelis modestus fiziensis** Laurent, 1973  
 2 paratypes Congo
- Leptopelis ocellatus schitzi** Laurent, 1973  
 2 paratypes Congo
- Leptopelis parvus** Schmidt and Inger, 1959  
 3 paratypes Belgian Congo
- Limnodynastes convexiusculus** (Macleay); see *Phanerotis novae-guinea* Van Kampen
- Megalophrys hasseltii** var. **pullus** M. A. Smith, 1921  
 = *Leptobranchium hasseltii pullus* (M. A. Smith), 1921  
 1 cotype Indo-China
- Megophrys brachykolos** Inger and Romer, 1961  
 Holotype: FMNH 69063; Paratypes: 10 adults  
 and 11 larvae Hong Kong and China  
 One of the paratypes is also a paratype of *Megalophrys kuatunensis* (Pope)
- Megophrys minimus** (Taylor); see *Leptobranchium minimum*  
 Taylor

- Mertensophryne schmidti** Grandison, 1972  
8 paratypes Congo
- Micrixalus magnapustulosus** Taylor and Elbel, 1958  
= *Ooeidozyga magnapustulosus* (Taylor and Elbel), 1958  
Holotype: FMNH 172780 Thailand
- Microbatrachylus albolabris** Taylor, 1940  
= *Eleutherodactylus pygmaeus* Taylor, 1936  
Holotype: FMNH 100071; 4 paratypes Mexico
- Microbatrachylus costaricensis** Taylor, 1952  
= *Eleutherodactylus costaricensis* (Taylor), 1952  
Holotype: FMNH 178240 Costa Rica
- Microbatrachylus lineatissimus** Taylor, 1941  
= *Eleutherodactylus lineatissimus* (Taylor), 1941  
Holotype: FMNH 100036; 3 paratypes Mexico
- Microbatrachylus minimus** Taylor, 1940  
= *Eleutherodactylus pygmaeus* Taylor, 1936  
Holotype: FMNH 100323; 4 paratypes Mexico
- Microbatrachylus montanus** Taylor, 1942  
= *Eleutherodactylus sartori* Lynch, 1965  
1 paratype Mexico
- Microbatrachylus oaxacae** Taylor, 1940  
= *Eleutherodactylus oaxacae* (Taylor), 1940  
Holotype: FMNH 100001; 8 paratypes Mexico
- Microbatrachylus rearki** Taylor, 1952  
= *Eleutherodactylus rearki* (Taylor), 1952  
5 paratypes Costa Rica
- Microhyla inornata lineata** Taylor, 1962  
Holotype: FMNH 178245; 4 paratypes Thailand

- Microhyla mazatlanensis** Taylor, 1943  
 = *Gastrophryne olivacea mazatlanensis* (Taylor), 1943  
 Holotype: FMNH 100040; 2 paratypes Mexico
- Nectophryne altitudinus** M. A. Smith, 1931  
 = *Ansonia fuliginea* (Mocquard) 1890  
 1 paratype North Borneo
- Nectophrynoides mirei** Perret, 1971  
 2 paratypes Cameroun
- Ooeidozyga magnapustulosus** (Taylor and Elbel); see  
*Micrixulus magnapustulosus* Taylor and Elbel
- Oreophryne biroi** (Méhely); see *Sphenophryne loriae* Boulenger
- Oreophryne kampeni** Parker, 1934  
 1 paratype New Guinea  
 This specimen is also a cotype of *Sphenophryne loriae*  
 Boulenger.
- Otophryne robusta steyermarki** Rivero, 1967  
 Holotype: FMNH 74031; 1 paratype Venezuela
- Pedostibes rugosus** Inger, 1958  
 Holotype: FMNH 81297 Sarawak
- Pelophryne albotaeniata** Barbour, 1938  
 1 paratype Philippine Ids.
- Phanerotis novae-guinea** Van Kampen, 1909  
 = *Limnodynastes convexiusculus* (Macleary), 1878  
 1 cotype New Guinea
- Philautus doriae** (Boulenger); see *Chirixalus doriae* Boulenger
- Philautus gauni** Inger, 1966  
 Holotype: FMNH 136314; 14 paratypes Borneo

- Philautus hansenae** Cochran, 1927  
1 paratype Thailand
- Philautus nongkhorensis** Cochran, 1927  
1 paratype Thailand
- Philautus parvulus** (Boulenger); see *Ixalus parvulus* Boulenger
- Phrynobatrachus anotis** Schmidt and Inger, 1959  
15 paratypes Belgian Congo
- Phrynobatrachus cryptotis** Schmidt and Inger, 1959  
15 paratypes Belgian Congo
- Phrynohyas venulosa** (Laurenti); see *Acrodytes inflata* Taylor
- Phrynopus peraccai** Lynch, 1975  
1 paratype Ecuador
- Phyllobates flotator** Dunn, 1931  
= *Colostethus nubicola* (Dunn), 1924  
5 paratypes Panama
- Phyllobates mertensi** Cochran and Goin, 1964  
Holotype: FMNH 54456; 9 paratypes Colombia
- Phyllobates nubicola** Dunn, 1924  
= *Colostethus nubicola* (Dunn), 1924  
1 paratype Panama
- Phyllobates thorntoni** Cochran and Goin, 1970  
2 paratypes Colombia
- Phyllodytes tuberculosus** Bokermann, 1966  
= *Amphodus tuberculosus* (Bokermann), 1966  
1 paratype Brazil



- Phyllomedusa annae** Duellman, 1963  
 = *Agalychnis annae* (Duellman), 1963  
 1 paratype Costa Rica
- Phyllomedusa callidryas taylori** Funkhouser, 1957  
 = *Agalychnis callidryas* (Cope), 1862  
 Holotype: FMNH 100166; 29 paratypes Mexico
- Physalaemus centralis** Bokermann, 1962  
 2 paratypes Brazil
- Physalaemus cicada** Bokermann, 1966  
 1 paratype Brazil
- Physalaemus jordanensis** Bokermann, 1967  
 1 paratype Brazil
- Physalaemus neglectus dunnii** Cochran and Goin, 1970  
 2 paratypes Colombia
- Physalaemus obtectus** Bokermann, 1966  
 1 paratype Brazil
- Physalaemus riograndensis** Milstead, 1960  
 Holotype: FMNH 82578; 5 paratypes Brazil
- Platymantis beauforti** (van Kampen); see *Cornufer beauforti*  
 van Kampen
- Platymantis hazelae** (Taylor); see *Cornufer rivularis* Taylor
- Platymantis ingeri** (Brown and Alcalá); see *Cornufer ingeri*  
 Brown and Alcalá
- Plectrohyla cotzicensis** Stuart, 1958  
 = *Plectrohyla glandulosa* (Boulenger), 1883  
 1 paratype Guatemala

- Plectrohyla glandulosa** (Boulenger); see *Plectrohyla cotzicensis* Stuart
- Plectrohyla sagorum** Hartweg, 1941  
1 paratype Mexico
- Prostheraspis dumni** Rivero, 1961  
= *Colostethus dumni* (Rivero), 1961  
Holotype: FMNH 35987; 8 paratypes Venezuela
- Pseudis paradoxus caribensis** Gallardo, 1961  
2 paratypes Trinidad
- Pseudis paradoxus nicefori** Cochran and Goin, 1970  
1 paratype (larva) Colombia
- Pseudis paradoxus platensis** Gallardo, 1961  
2 paratypes Paraguay
- Ptychohyla adipoventris** Taylor, 1944  
4 paratypes Mexico
- Rana albolabris adiscifera** Schmidt and Inger, 1959  
= *Rana darlingi* Boulenger, 1902  
Holotype: FMNH 21171; 1 paratype Angola
- Rana darlingi** Boulenger; see *Rana albolabris adiscifera* Schmidt and Inger
- Rana desaegeri** Laurent, 1972  
10 paratypes Belgian Congo
- Rana doriae** Boulenger, 1887  
1 paratype Burma
- Rana fasciculispina** Inger, 1970  
1 paratype Thailand

- Rana humeralis** Boulenger, 1887  
1 paratype Burma
- Rana ibanorum** Inger, 1964  
Holotype: FMNH 76894; 83 paratypes Borneo
- Rana kohchangae** M. A. Smith, 1922  
1 cotype Thailand
- Rana lighti** Taylor, 1934  
= *Rana plancyi* Lataste, 1880  
1 paratype China
- Rana maosonensis** (Bourret); see *Hylarana maosonensis* Bourret
- Rana mascareniensis** Duméril and Bibron; see *Rana mascareniensis hylaea* Schmidt and Inger
- Rana mascareniensis hylaea** Schmidt and Inger, 1959  
= *Rana mascareniensis* Duméril and Bibron, 1841  
Holotype: FMNH 57965; 28 paratypes Liberia, French  
Cameroon, Belgian Congo
- Rana megapoda** Taylor, 1942  
Holotype: FMNH 100025; 5 paratypes Mexico
- Rana microdisca finchi** Inger, 1966  
Holotype: FMNH 77499; 24 paratypes plus  
larvae Borneo
- Rana microtympanum** Van Kampen, 1907  
= *Rana modesta* Boulenger, 1882  
1 cotype Celebes
- Rana milleti** M. A. Smith, 1921  
1 cotype Indo-China

- Rana (Paa) minica** Dubois, 1975  
1 paratype Nepal
- Rana modesta** Boulenger; see *Rana microtympnum* Van Kampen
- Rana obscura** Schmidt and Inger, 1959  
13 paratypes Belgian Congo
- Rana paramacrodon** Inger, 1966  
Holotype: FMNH 76883; 22 paratypes Borneo
- Rana paramacrodon kenepaiensis** Inger, 1966  
1 paratype Sarawak
- Rana pipiens** Schreber; see *Rana taylori* H. M. Smith
- Rana plancyi** Lataste; see *Rana lighti* Taylor
- Rana ruwenzorica** Laurent, 1972  
10 paratypes Belgian Congo
- Rana sierramadrensis** Taylor, 1939  
Holotype: FMNH 100038; 3 paratypes Mexico
- Rana signata** (Gunther); see *Rana yakani* Taylor
- Rana spinulosa** M. A. Smith, 1923  
1 paratype China
- Rana taylori** H. M. Smith, 1959  
= *Rana pipiens* Schreber, 1782  
Holotype: FMNH 103210; 2 paratypes Costa Rica
- Rana ukembae** Schmidt and Inger, 1959  
6 paratypes Belgian Congo

- Rana yakani** Taylor, 1922  
 = *Rana signata* (Gunther), 1872  
 3 paratypes  
 Philippine Ids.
- Rappia bayoni** Boulenger, 1911  
 = *Hyperolius bayoni* (Boulenger), 1911  
 1 paratype  
 Uganda
- Rhacophorus bisacculus** Taylor, 1962  
 Holotype: FMNH 178202  
 Thailand
- Rhacophorus harrissoni** Inger and Haile, 1960  
 Holotype: FMNH 83075  
 Sarawak
- Rhacophorus rufipes** Inger, 1966  
 Holotype: FMNH 147699; 8 paratypes  
 Sarawak
- Rheobatrachus silus** Liem, 1973  
 1 paratype  
 Australia
- Smilisca sila** Duellman and Treub, 1966  
 52 paratypes  
 Panama and Colombia
- Sphaernorhynchus bromelicola** Bokermann, 1966  
 1 paratype  
 Brazil
- Sphenophryne loriae** Boulenger, 1898  
 = *Oreophryne biroi* (Méhely), 1897  
 1 cotype  
 New Guinea  
 This specimen is also a paratype of *Oreophryne kampeni* Parker.
- Sphenophryne macrorhynchus** (van Kampen); see *Chaperina punctata* van Kampen
- Staurois parvus** Inger and Haile, 1960  
 = *Staurois tuberilinguis* Boulenger, 1918  
 Holotype: FMNH 83076  
 Sarawak

- Stauroids tuberilinguis** Boulenger; see *Stauroids parvus* Inger and Haile
- Stefania ginesi** Rivero, 1966  
Holotype: FMNH 74041 Venezuela
- Syrrhophus guttilatus** (Cope); see *Syrrhophus smithi* Taylor
- Syrrhophus latodactylus** Taylor, 1940  
= *Syrrhophus longipes* (Baird), 1859  
Holotype: FMNH 100063; 3 paratypes Mexico
- Syrrhophus longipes** (Baird); see *Syrrhophus latodactylus* Taylor
- Syrrhophus macrotympanum** (Taylor); see *Tomodactylus macrotympanum* Taylor
- Syrrhophus modestus** Taylor, 1942  
Holotype: FMNH 100048; 2 paratypes Mexico
- Syrrhophus nebulosus** Taylor, 1943  
= *Syrrhophus pipilans nebulosus* Taylor, 1943  
Holotype: FMNH 100095; 12 paratypes Mexico
- Syrrhophus pipilans** Taylor, 1940  
Holotype: FMNH 100072; 21 paratypes Mexico
- Syrrhophus pipilans nebulosus** Taylor; see *Syrrhophus nebulosus* Taylor
- Syrrhophus smithi** Taylor, 1940  
= *Syrrhophus guttilatus* (Cope), 1879  
1 paratype Mexico
- Syrrhophus caryophyllaceus** Barbour, 1928  
= *Eleutherodactylus caryophyllaceus* (Barbour), 1928  
2 paratypes Panama

- Taudactylus eungellensis** Liem and Hosmer, 1973  
3 paratypes Australia
- Taudactylus rheophilus** Liem and Hosmer, 1973  
3 paratypes Australia
- Tomodactylus albolabris** Taylor, 1943  
Holotype: FMNH 100082; 3 paratypes Mexico
- Tomodactylus angustidigitorum** Taylor, 1940  
Holotype: FMNH 100126; 13 paratypes Mexico
- Tomodactylus macrotympanum** Taylor, 1940  
= *Syrrhophus macrotympanum* (Taylor), 1940  
Holotype: FMNH 100049; 15 paratypes Mexico
- Xenobatrachus ocellatus** (van Kampen); see *Xenorhina ocellata*  
van Kampen
- Xenorhina ocellata** van Kampen, 1913  
= *Xenobatrachus ocellatus* (van Kampen), 1913  
1 cotype New Guinea

## REPTILIA

## TESTUDINATA

- Batrachemys dahli** (Zangerl and Medem); see *Phrynops dahli*  
Zangerl and Medem
- Kinosternon flavescens stejnegeri** Hartweg, 1938  
5 paratypes Mexico
- Phrynops (Batrachemys) dahli** Zangerl and Medem, 1958  
= *Batrachemys dahli* (Zangerl and Medem), 1958  
Holotype: FMNH 75980; 3 paratypes Colombia

**Pseudemys scripta taylori** Legler, 1960

1 paratype

Mexico

## SAURIA

**Acanthodactylus gongrohynchatus** Anderson and Leviton,  
1967

1 paratype

Saudi Arabia

**Agama badakhshana** Anderson and Leviton, 1969

Holotype: FMNH 161108; 1 paratype

Afghanistan

**Agama nuristanica** Anderson and Leviton, 1969

Holotype: FMNH 161136

Afghanistan

**Agama paragama** Grandison, 1968

1 paratype

Nigeria

**Agama stoliczkana altaica** G. Peters, 1971

1 paratype

Mongolia

**Alopoglossus plicatus** Taylor, 1949= *Ptychoglossus plicatus* (Taylor), 1949

1 paratype

Costa Rica

**Ameiva chaitzami** Stuart; see *Ameiva undulata thomasi* H. M.  
Smith and Lafe**Ameiva festiva** (Lichtenstein and Von Mar lens); see *Ameiva*  
*festiva occidentalis* Taylor**Ameiva festiva occidentalis** Taylor, 1956= *Ameiva festiva* (Lichtenstein and Martens), 1856

Holotype: 120236; 2 paratypes

Costa Rica

**Ameiva undulata** (Wiegmann); see *Ameiva undulata amphi-*  
*gramma* H. M. Smith and Lafe; *Ameiva undulata dextra*



H. M. Smith and Lafe; *Ameiva undulata gaigeae* H. M. Smith and Lafe; *Ameiva undulata podarga* H. M. Smith and Lafe; *Ameiva undulata sinistra* H. M. Smith and Lafe

- Ameiva undulata amphigramma*** H. M. Smith and Lafe, 1945  
 = *Ameiva undulata* (Wiegmann), 1834  
 Holotype: FMNH 100020; 12 paratypes Mexico
- Ameiva undulata dextra*** H. M. Smith and Lafe, 1946  
 = *Ameiva undulata* (Wiegmann), 1834  
 Holotype: FMNH 100080; 5 paratypes Mexico
- Ameiva undulata gaigeae*** H. M. Smith and Lafe, 1946  
 = *Ameiva undulata* (Wiegmann), 1834  
 Holotype: FMNH 100030 Mexico
- Ameiva undulata podarga*** H. M. Smith and Lafe, 1946  
 = *Ameiva undulata* (Wiegmann), 1834  
 Holotype: FMNH 100050; 7 paratypes Mexico
- Ameiva undulata sinistra*** H. M. Smith and Lafe, 1946  
 = *Ameiva undulata* (Wiegmann), 1834  
 Holotype: FMNH 100054; 17 paratypes Mexico
- Ameiva undulata thomasi*** H. M. Smith and Lafe, 1946  
 = *Ameiva chaitzami* Stuart, 1942  
 Holotype: FMNH 100006; 5 paratypes Mexico
- Amphisbaena munoai*** Klappenbach, 1960  
 3 paratypes Uruguay
- Anolis annectens*** Williams, 1974  
 Holotype: FMNH 5679 Colombia
- Anolis bonairensis*** Ruthven, 1923  
 1 paratype Dutch Leeward Ids.

- Anolis dissimilis** Williams, 1965  
Holotype: FMNH 81369 Peru
- Anolis dunni** H. M. Smith, 1936  
Holotype: FMNH 100109 Mexico
- Anolis eewi** Roze, 1958  
Holotype: FMNH 74040 Venezuela
- Anolis megalpholidotus** H. M. Smith, 1933  
Holotype: FMNH 100105 Mexico
- Anolis vociferans** Myers, 1971  
3 paratypes Panama
- Anolis woodi attenuatus** Taylor, 1956  
1 paratype Costa Rica
- Aphaniotis acutirostris** Modigliani, 1889  
1 paratype Nias Id.
- Aprasia parapulchella** Kluge, 1974  
1 paratype Australia
- Asaccus griseonotus** Dixon and Anderson, 1973  
Holotype: FMNH 170824; 8 paratypes Iran; Iraq
- Aulacoplax leptosoma** Brown and Fehlmann, 1958  
2 paratypes Palau Ids.
- Bachia scolecoides** Vanzolini, 1961  
1 paratype Brazil
- Bachia talpa** Ruthven, 1935  
1 paratype Colombia

- Basiliscus barbouri** Ruthven, 1914  
 = *Basiliscus basiliscus barbouri* Ruthven, 1914  
 1 paratype Colombia
- Brachymeles cebuensis** Brown and Rabor, 1967  
 1 paratype Philippine Ids.
- Brachymeles gracilis boholensis** Brown and Rabor, 1967  
 1 paratype Philippine Ids.
- Brachymeles gracilis mindorensis** Brown and Rabor, 1967  
 1 paratype Philippine Ids.
- Brachymeles hilong** Brown and Rabor, 1967  
 26 paratypes Philippine Ids.
- Brachymeles schadenbergi orientalis** Brown and Rabor, 1967  
 1 paratype Philippine Ids.
- Cnemaspis kumpoli** Taylor, 1963  
 Holotype: FMNH 178268 Thailand
- Cnemidophorus burti** Taylor, 1938  
 Holotype: FMNH 100004; 4 paratypes Mexico
- Cnemidophorus communis australis** Gadow, 1906  
 = *Cnemidophorus sackii australis* Gadow, 1906  
 25 cotypes Mexico  
 Twelve of these cotypes are also paratypes of  
*Cnemidophorus parvisocius* Zweifel.
- Cnemidophorus cozumelas rodecki** McCoy and Maslin, 1962  
 3 paratypes Mexico
- Cnemidophorus laredoensis** McKinney, Kay and Anderson,  
 1973  
 3 paratypes Texas

- Cnemidophorus murinus ruthveni** Burt, 1935  
5 paratypes West Indies
- Cnemidophorus parvisocius** Zweifel, 1960  
12 paratypes Mexico  
The 12 specimens also are cotypes of *Cnemidophorus communis australis* Gadow.
- Cnemidophorus sackii australis** Gadow; see *Cnemidophorus communis australis* Gadow
- Cnemidophorus septemvittatus pallidus** Duellman and Zweifel, 1962  
4 paratypes Mexico
- Cnemidophorus tigris punctatus** Walker and Maslin, 1965  
2 paratypes Mexico
- Coleonyx elegans nemoralis** Klauber, 1945  
Holotype: FMNH 100010; 2 paratypes Mexico
- Crotophylus wislizeni punctatus** Tanner and Banta, 1963  
1 paratype Utah
- Ctenoblepharis schmidti** Marx, 1960  
Holotype: FMNH 5759; 1 paratype Chile
- Ctenosaura hemilopha macrolopha** H. M. Smith, 1972  
Holotype: FMNH 108705 Mexico
- Cyrtodactylus cavernicolus** Inger and King, 1962  
Holotype: FMNH 128388; 12 paratypes Sarawak
- Cyrtodactylus pequensis zebraicus** Taylor, 1962  
Holotype: FMNH 178286 Thailand
- Cyrtodactylus pubisculus** Inger, 1957  
Holotype: FMNH 76251; 2 paratypes Sarawak

- Cyrtodactylus quadrivirgata** Taylor, 1962  
Holotype: FMNH 178214; 1 paratype Thailand
- Cyrtodactylus redimiculus** King, 1962  
1 paratype Palawan
- Cyrtodactylus russowi** (Strauch); see *Gymnodactylus russowi*  
Strauch
- Davewakeum miriamae** Heyer, 1972  
Holotype: FMNH 182550; 12 paratypes Thailand
- Delma inornata** Kluge, 1974  
1 paratype Australia
- Dibamus alfredi** Taylor, 1962  
Holotype: FMNH 178336; 2 paratypes Thailand
- Diplodactylus williamsi** Kluge, 1963  
2 paratypes Australia
- Draco beccari** Peters and Doria, 1878  
1 paratype Celebes
- Draco modigliani** Vinciguerra, 1892  
1 paratype Enggaro Id.
- Emoia ruficauda** Taylor, 1915  
1 paratype Philippine Ids.
- Emoia slevini** Brown and Falanrun, 1972  
1 paratype Mariana Ids.
- Eremias aporosceles** (Alcock and Finn); see *Scaptira aporosceles*  
Alcock and Finn

- Eremias velox caucasia** Lantz, 1928  
2 cotypes U.S.S.R.
- Eublepharis afghanicus** Börner, 1976  
Holotype: FMNH 161142 Afghanistan
- Eumeces brevirostris indubitus** Taylor, see *Eumeces indubitus*  
Taylor
- Eumeces copei** Taylor, 1933  
Holotype: FMNH 100120 Mexico
- Eumeces indubitus** Taylor, 1934  
= *Eumeces brevirostris indubitus* Taylor, 1934  
Holotype: FMNH 100084 Mexico
- Eumeces ochoterenae** Taylor, 1933  
Holotype: FMNH 100119; 4 paratypes Mexico
- Eumeces septentrionalis pallidus** H. M. Smith and Slater, 1949  
3 paratypes Texas
- Gekko palawanensis** Taylor, 1925  
2 paratypes Philippine Ids.
- Gekko petricolis** Taylor, 1962  
Holotype: FMNH 178275; 4 paratypes Thailand
- Gekko smaragdinus** Taylor, 1922  
1 paratype Philippine Ids.
- Gonatodes bodinii** Blanco, 1964  
1 paratype Venezuela
- Gonatodes taniae** Roze, 1963  
1 paratype Venezuela

- Gymnodactylus russowi** Strauch, 1887  
 = *Cyrtodactylus russowi* (Strauch), 1887  
 2 cotypes Uzbek, U.S.S.R.
- Hemidactylus albofasciatus** Grandison and Soman, 1963  
 1 paratype India
- Leiolepis belliana ocellata** Peters, 1971  
 1 paratype Thailand
- Leiolopisma assatum taylori** Oliver, 1937  
 = *Sphenomorphus assatum taylori* (Oliver), 1937  
 2 paratypes Mexico
- Leiolopisma caudaequinae** H. M. Smith, 1951  
 = *Scincilla caudaequinae* (H. M. Smith), 1951  
 3 paratypes Mexico
- Leiolopisma cherriei lampropholis** Taylor, 1956  
 = *Sphenomorphus cherriei lampropholis* (Taylor), 1956  
 3 paratypes Costa Rica
- Leiolopisma forbesorum** Taylor, 1937  
 = *Scincella forbesorum* (Taylor), 1937  
 Holotype: FMNH 100031; 5 paratypes Mexico
- Leiolopisma siamensis** Taylor and Elbel, 1958  
 = *Scincella siamensis* (Taylor and Elbel), 1958  
 Holotype: FMNH 135985 Thailand
- Leiolopisma silvicolum** Taylor, 1936  
 = *Scincella silvicola* (Taylor), 1936  
 Holotype: FMNH 100008 Mexico
- Lepidoblepharus barbouri** Noble, 1921  
 = *Pseudogonatodes barbouri* (Noble), 1921  
 2 paratypes Peru

- Lepidophyma flavimaculatum tehuanae** H. M. Smith; see  
*Lepidophyma smithii tehuanae* H. M. Smith
- Lepidophyma smithii tehuanae** H. M. Smith, 1942  
= *Lepidophyma flavimaculatum tehuanae* H. M. Smith, 1942  
1 paratype Mexico
- Lepidophyma sylvatica** Taylor, 1939  
Holotype: FMNH 100102; 2 paratypes Mexico
- Leposoma ioanna** Uzzell and Barry, 1971  
Holotype: FMNH 165798; 1 paratype Colombia
- Leposoma southi** Ruthven and Gaige, 1924  
1 paratype Panama
- Lipinia pulchellum levitoni** (Brown and Alcalá); see *Lygosoma*  
*(Leiolopisma) pulchellum levitoni* Brown and Alcalá
- Lipinia relictá** (Vinciguerra); see *Lygosoma (Siaphos) relictum*  
Vinciguerra
- Lipinia vittigera microcercum** (Boettger); see *Lygosoma*  
*vittigera kronfanum* M. A. Smith
- Luperosaurus amissus** Taylor, 1962  
Holotype: FMNH 178217 Philippine Ids.
- Lygodactylus somalicus battersbyi** Pasteur, 1962  
1 paratype British Somaliland
- Lygosoma (Omolepida) antoniorum** M. A. Smith, 1927  
= *Sphenomorphus antoniorum* (M. A. Smith), 1927  
1 paratype Timor
- Lygosoma (Hinuila) malayanum** Doria, 1888  
1 paratype Sumatra



- Lygosoma (Leiopolisma) pulchellum levitoni** Brown and Alcala, 1963  
 = *Lipinia pulchellum levitoni* (Brown and Alcala), 1963  
 Holotype: FMNH 120953; 2 paratypes      Philippine Ids.
- Lygosoma (Siaphos) relictum** Vinciguerra, 1892  
 = *Lipinia relictum* (Vinciguerra), 1892  
 1 paratype      Enggano Id.
- Lygosoma tersum** M. A. Smith, 1916  
 = *Sphenomorphus tersus* (M. A. Smith), 1916  
 1 paratype      Thailand
- Lygosoma (Sphenomorphus) variegatum stickeli** Loveridge, 1948  
 1 paratype      New Guinea
- Lygosoma vittigerum kronfanum** M. A. Smith, 1922  
 = *Lipinia vittigera microcerum* (Boettger), 1901  
 1 paratype      Thailand
- Mabuya floweri** Taylor, 1950  
 1 paratype      Ceylon
- Mabuya macularia malcolmi** Taylor and Elbel, 1958  
 Holotype: FMNH 178216      Thailand
- Mabuya macularia quadrifasciata** Taylor and Elbel, 1958  
 Holotype: FMNH 135335      Thailand
- Melanoseps ater misukuensis** Loveridge, 1958  
 1 paratype      Nyasaland
- Millotisaurus mirabilis** Pasteur, 1962  
 1 paratype      Madagascar
- Nessia derianiyagalai** Taylor, 1950  
 Holotype: FMNH 178287      Ceylon

- Neusticurus strangulatus trachodus** Uzzell, 1966  
Holotype: FMNH 55992; 5 paratypes Peru
- Ophiomorus raithmai** Anderson and Leviton, 1966  
1 paratype Pakistan
- Ophiomorus streeti** Anderson and Leviton, 1966  
Holotype: FMNH 141551 Iran
- Pachydactylus capensis katanganus** Witte, 1953  
2 paratypes Belgian Congo
- Peropus angusticaudus** Taylor, 1963  
Holotype: FMNH 178203; 3 paratypes Thailand
- Peropus fehlmanni** Taylor, 1962  
Holotype: FMNH 178207 Thailand
- Peropus laceratus** Taylor, 1962  
Holotype: 178208; 3 paratypes Thailand
- Phoxophrys borneensis** Inger, 1960  
2 paratypes Borneo
- Phyllodactylus angustidigitus** Dixon and Huey, 1970  
4 paratypes Peru
- Phyllodactylus bordai** Taylor, 1942  
3 paratypes Mexico
- Phyllodactylus davisi** Dixon, 1964  
4 paratypes Mexico
- Phyllodactylus homolepidurus** H. M. Smith, 1935  
Holotype: 100111; 18 paratypes Mexico

- Phyllodactylus insularis** Dixon, 1960  
Holotype: FMNH 34633; 5 paratypes      British Honduras
- Phyllodactylus kofordi** Dixon and Huey, 1970  
4 paratypes      Peru
- Phyllodactylus lanei** H. M. Smith, 1935  
Holotype: FMNH 100067; 13 paratypes      Mexico
- Phyllodactylus lanei rupinus** Dixon, 1964  
52 paratypes      Mexico
- Phyllodactylus magnus** Taylor, 1942  
= *Phyllodactylus tuberculosus magnus* Taylor, 1942  
Holotype: FMNH 100005; 13 paratypes      Mexico
- Phyllodactylus melanostictus** Taylor, 1962  
Holotype: FMNH 178231; 1 paratype      Thailand
- Phyllodactylus muralis** Taylor, 1940  
Holotype: FMNH 100090; 39 paratypes      Mexico
- Phyllodactylus muralis isthmus** Dixon, 1964  
67 paratypes      Mexico
- Phyllodactylus pumilus** Dixon, 1964  
1 paratype      Ecuador
- Phyllodactylus tuberculosus ingeri** Dixon, 1964  
2 paratypes      British Honduras
- Phyllodactylus tuberculosus magnus** Taylor; see  
*Phyllodactylus magnus* Taylor
- Phyllodactylus xanti nocticotis** Dixon, 1964  
3 paratypes      California

- Prionodactylus dicrus** Uzzell, 1973  
 Holotype: FMNH 36708; 2 paratypes Ecuador
- Prionodactylus marianus** Ruthven, 1921  
 = *Prionodactylus vertebralis* (O'Shaughnessy), 1879  
 1 paratype Colombia
- Prionodactylus vertebralis** (O'Shaughnessy); see *Prionodactylus marianus* Ruthven
- Pseudogonatodes barbouri** (Noble); see *Lepidoblepharus barbouri* Noble
- Ptychoglossus plicatus** (Taylor); see *Alopoglossus plicatus* Taylor
- Rhodona karlschmidti** Marx and Hosmer, 1959  
 Holotype: FMNH 97957; 2 paratypes Australia
- Riopa frontoparietalis** Taylor, 1962  
 Holotype: FMNH 178362; 4 paratypes Thailand
- Riopa haroldyoungi** Taylor, 1962  
 Holotype: FMNH 178213 Thailand
- Saurodactylus mauritanicus brosseti** Bons and Pasteur, 1957  
 3 paratypes French Morocco
- Scaptira aporosceles** Alcock and Finn, 1896  
 = *Eremias aporosceles* (Alcock and Finn), 1896  
 1 cotype Baluchistan
- Sceloporus edwardtaylori** H. M. Smith, 1936  
 Holotype: FMNH 100058; 16 paratypes Mexico
- Sceloporus formosus scitulus** H. M. Smith, 1942  
 Holotype: FMNH 100012; 11 paratypes Mexico

- Sceloporus horridus albiventris** H. M. Smith, 1939  
Holotype: FMNH 100057; 4 paratypes Mexico
- Sceloporus insignis** Webb, 1967  
1 paratype Mexico
- Sceloporus jarrovii immucronatus** H. M. Smith, 1937  
Holotype: FMNH 100056; 8 paratypes Mexico
- Sceloporus jarrovii sugillatus** H. M. Smith, 1942  
7 paratypes Mexico
- Sceloporus lundelli lundelli** H. M. Smith, 1939  
4 paratypes Mexico
- Sceloporus megalepidurus** H. M. Smith, 1934  
Holotype: FMNH: 100107; 20 paratypes Mexico
- Sceloporus melanorhinus calligaster** H. M. Smith, 1942  
14 paratypes Mexico
- Sceloporus merriami australis** Williams, Smith, and Chraplwy,  
1960  
37 paratypes Mexico
- Sceloporus mucronotus aureolus** H. M. Smith, 1938  
18 paratypes Mexico
- Sceloporus ochoterenae** H. M. Smith, 1934  
Holotype: FMNH 100052 Mexico
- Sceloporus parvus** H. M. Smith, 1934  
Holotype: FMNH 100125; 2 paratypes Mexico
- Sceloporus poinsetti macrolepis** Smith and Chraplwy, 1958  
10 paratypes Mexico

- Sceloporus scalaris unicanthalis** H. M. Smith, 1937  
Holotype: FMNH 100101; 1 paratype Mexico
- Sceloporus stejnegeri** H. M. Smith, 1942  
4 paratypes Mexico
- Scincella caudaequinae** (H. M. Smith); see *Leiolopisma caudaequinae* H. M. Smith
- Scincella forbesorum** (Taylor); see *Leiolopisma forbesorum* Taylor
- Scincella siamensis** (Taylor and Elbel); see *Leiolopisma siamensis* Taylor and Elbel
- Scincella silvicola** (Taylor); see *Leiolopisma silvicolum* (Taylor)
- Sphaerodactylus macrolepis parvus** King, 1962  
16 paratypes Virgin Ids.
- Sphenomorphus antoniorum** (M. A. Smith); see *Lygosoma (Omolepida) antoniorum* M. A. Smith
- Sphenomorphus assatum taylori** (Oliver); see *Leiolopisma assatum taylori* Oliver
- Sphenomorphus cherriei lampropholis** (Taylor); see *Leiolopisma cherriei lampropholis* Taylor
- Sphenomorphus cyanolaemus** Inger and Hosmer, 1965  
Holotype: FMNH 148567; 19 paratypes Sarawak
- Sphenomorphus haasi** Inger and Hosmer, 1965  
Holotype: FMNH 148565; 5 paratypes Sarawak
- Sphenomorphus jagori divergens** Taylor, 1922  
4 cotypes Philippine Ids.

- Sphenomorphus lineopunctulatus** Taylor, 1962  
Holotype: FMNH 178215 Thailand
- Sphenomorphus maculicollis** Bacon, 1967  
Holotype: FMNH 161484 Sarawak
- Sphenomorphus melanopleurus** Inger, 1958  
Holotype: FMNH 78383; 70 paratypes New Guinea
- Sphenomorphus multisquamatus** Inger, 1958  
2 paratypes Borneo
- Sphenomorphus rufogulus** Taylor, 1950  
Holotype: FMNH 120229; 23 paratypes Ceylon
- Sphenomorphus sabanus** Inger, 1958  
Holotype: FMNH 63671; 29 paratypes Borneo
- Sphenomorphus tersus** (M. A. Smith); see *Lygosoma tersum*  
M. A. Smith
- Stenocercus empetrus** Fritts, 1972  
5 paratypes Peru
- Tribolonotus ponceleti** Kinghorn, 1937  
5 paratypes Solomon Ids.
- Tropidophorus laotus** M. A. Smith, 1923  
1 cotype Laos
- Tropidophorus robinsoni** M. A. Smith, 1919  
2 paratypes Thailand
- Tropicolotes heteropholis** Minton, 1970  
Holotype: FMNH 74549 Iraq

**Typhlosaurus lineatus jappi** Broadley, 1968  
3 paratypes Northern Rhodesia

**Uta taylori** H. M. Smith, 1935  
Holotype: FMNH 100097; 17 paratypes Mexico

**Xantusia vigilis utahensis** Tanner, 1957  
1 paratype Utah

### SERPENTES

**Adelphicos veraepacis** Stuart, 1941  
1 paratype Guatemala

**Adelphicos veraepacis nigrilatus** H. M. Smith, 1942  
Holotype: FMNH 100110; 7 paratypes Mexico

**Agkistrodon bilineatus russeolus** Gloyd, 1972  
2 paratypes Mexico

**Agkistrodon contortrix phaeogaster** Gloyd, 1969  
2 paratypes Kansas

**Agkistrodon piscivorous conanti** Gloyd, 1969  
2 paratypes Florida

**Amphiesma sauteri maximus** Malnate, 1962  
Holotype: FMNH 18796; 1 paratype China

**Atractus obesus** Marx, 1960  
Holotype: FMNH 69661; 1 paratype Colombia

**Atractus sanctaemartae** Dunn, 1946  
1 paratype Colombia

**Atractus steyermarki** Roze, 1958  
Holotype: FMNH 69920; 1 paratype Venezuela



- Boiga ocellata** Kroon, 1973  
Holotype: FMNH 191997; 6 paratypes Thailand
- Bothrops bilineatus smaragdinus** Hoge, 1965  
3 paratypes Peru and Bolivia
- Bothrops lichenosa** Roze, 1958  
Holotype: FMNH 74043 Venezuela
- Bothrops melanurus** (Muller); see *Trimeresurus garciai* H. M. Smith
- Calamaria bogorensis** Lidth de Jeude, 1890  
= *Calamaria modesta* Duméril and Bibron, 1854  
2 cotypes Java
- Calamaria eiselti** Inger and Marx, 1965  
1 paratype Sumatra
- Calarmia fraseri** Taylor, 1962  
= *Calamaria lowi gimletti* Boulenger, 1905  
Holotype: FMNH 178222 Malaya
- Calamaria hilleniusi** Inger and Marx, 1965  
1 paratype Borneo
- Calamaria lowi gimletti** Boulenger; see *Calamaria fraseri* Taylor
- Calamaria modesta** Duméril and Bibron; see *Calamaria bogorensis* Lidth de Jeude
- Calamaria palavanensis** Inger and Marx, 1965  
1 paratype Philippine Ids.
- Calamaria s. schlegeli** Duméril and Bibron; see *Keiometopon booliati* Taylor

- Calamaria suluensis** Taylor, 1922  
Neotype: FMNH 76294 North Borneo
- Causus lineatus** Laurent, 1955  
2 paratypes Belgian Congo
- Coniophanes fissidens dispersus** H. M. Smith, 1941  
Holotype: FMNH 100130; 1 paratype Mexico
- Coniophanes lateritinus** Cope, 1862  
Neotype: FMNH 100032 Mexico
- Coniophanes piceivittis taylori** Hall, 1951  
Holotype: FMNH 100868; 2 paratypes Mexico
- Conopsis biserialis** Taylor and Smith, 1942  
Holotype: FMNH 100062; 59 paratypes Mexico
- Conopsis nasus labialis** Tanner, 1961  
1 paratype Mexico
- Crotalus durissus culminatus** Klauber, 1952  
Holotype: FMNH 126616; 7 paratypes Mexico
- Crotalus gloydi lautus** H. M. Smith, 1946  
= *Crotalus i. intermedius* Troschel, 1865  
1 paratype Mexico
- Crotalus i. intermedius** Troschel; see *Crotalus gloydi lautus* H.  
M. Smith; *Crotalus triseriatus anahuacus* Gloyd
- Crotalus transversus** Taylor, 1940  
Holotype: FMNH 100129; 1 paratype Mexico
- Crotalus triseriatus anahuacus** Gloyd, 1940  
= *Crotalus i. intermedius* Troschel, 1865 (part)

= *Crotalus t. triseriatus* (Wagler), 1830 (part)  
2 paratypes Mexico

**Crotalus t. triseriatus** (Wagler); see *Crotalus triseriatus anahuacus* Gloyd

**Drymarchon corais unicolor** H. M. Smith, 1941  
1 paratype Mexico

**Geophis blanchardi** Taylor and Smith, 1939  
Holotype: FMNH 100037; 3 paratypes Mexico

**Helicops petersi** Rossman, 1976  
1 paratype Ecuador

**Hypsiglena torquata martinensis** Tanner and Banta, 1962  
Holotype: FMNH 130288 Mexico

**Keiometopon booliati** Taylor, 1962  
= *Calamaria s. schlegeli* Duméril and Bibron, 1854  
Holotype: FMNH 178233 Malaya

**Lampropeltis knoblochi** Taylor, 1940  
Holotype: FMNH 100013; 1 paratype Mexico

**Lampropeltis polyzona blanchardi** Stuart, 1935  
= *Lampropeltis triangulum blanchardi* Stuart, 1935  
1 paratype Mexico

**Lampropeltis triangulum blanchardi** Stuart; see *Lampropeltis polyzona blanchardi* Stuart

**Leimadophis zweifeli** Roze, 1959  
1 paratype Venezuela

**Leptodeira bakeri** Ruthven, 1936  
1 paratype West Indies

- Leptodeira bressoni** Taylor, 1938  
 = *Leptodeira splendida bressoni* Taylor, 1938  
 Holotype: FMNH 100081; 2 paratypes Mexico
- Leptodeira maculata** (Hallowell); see *Leptodeira smithi* Taylor
- Leptodeira smithi** Taylor, 1939  
 = *Leptodeira maculata* (Hallowell), 1861  
 Holotype: FMNH 100060; 4 paratypes Mexico
- Leptodeira splendida bressoni** Taylor; see *Leptodeira bressoni* Taylor
- Leptotyphlops anthracinus** Bailey, 1946  
 1 paratype Ecuador
- Leptotyphlops bakewelli** Oliver, 1937  
 1 paratype Mexico
- Liophis ingeri** Roze, 1958  
 Holotype: FMNH 74038 Venezuela
- Macrocalamus tweedei** Liat, 1963  
 1 paratype Borneo
- Masticophis taeniatus australis** H. M. Smith, 1941  
 1 paratype Mexico
- Micrurus browni taylori** Schmidt and Smith; see *Micrurus nuchalis taylori* Schmidt and Smith
- Micrurus fitzingeri microgalbineus** Brown and Smith, 1942  
 = *Micrurus fulvius microgalbineus* Brown and Smith, 1942  
 1 paratype Mexico
- Micrurus fulvius microgalbineus** Brown and Smith; see *Micrurus fitzingeri microgalbineus* Brown and Smith

- Micrurus lemniscatus carvalhoi** Roze, 1967  
6 paratypes Brazil
- Micrurus nuchalis taylori** Schmidt and Smith, 1943  
= *Micrurus browni taylori* Schmidt and Smith, 1943  
Holotype: FMNH 100051 Mexico
- Micrurus psyches medemi** Roze, 1967  
1 paratype Colombia
- Naja melanoleuca subfulva** Laurent, 1955  
= *Naja melanoleuca* Hallowell, 1857  
1 paratype Belgian Congo
- Natrix firestonei** Taylor and Weyer, 1958  
Holotype: FMNH 100709 Liberia
- Natrix harteri paucimaculata** Tinkle and Conant, 1961  
2 paratypes Texas
- Natrix rigida sinicola** Hueey, 1959  
3 paratypes USA
- Natrix valida thamnophisiodes** Conant, 1961  
2 paratypes Mexico
- Ninia diademata plorator** H. M. Smith, 1942  
Holotype: FMNH 100042 Mexico
- Oligodon cyclurus superfluens** Taylor, 1965  
Holotype: FMNH 178332 Thailand
- Parahelicops boonsongi** Taylor and Elbel, 1958  
Holotype: FMNH 135328 Thailand
- Philothamnus irregularis battersbyi** Loveridge, 1951  
6 paratypes Kenya

- Pliocercus elapoides laticollaris** H. M. Smith, 1941  
2 paratypes Mexico
- Prosymna meleagris laurenti** Loveridge, 1958  
14 paratypes Anglo-Egyptian Sudan
- Psammophis aegyptius** Marx, 1958  
Holotype: FMNH 75092; 3 paratypes Egypt
- Psammophylax multisquamis** (Loveridge); see *Trimerorhinus tritaeniatus multisquamis* Loveridge
- Pseudoficimia frontalis** (Cope); see *Pseudoficimia pulcherrima* Taylor and Smith
- Pseudoficimia pulcherrima** Taylor and Smith, 1942  
= *Pseudoficimia frontalis* (Cope), 1864  
Holotype: FMNH 100061 Mexico
- Pseudorhabdion albonuchalis** (Gunther), 1896  
Neotype: FMNH 151709 Sarawak
- Rhadinaea aemula** Bailey, 1940  
= *Rhadinaea taeniata aemula* Bailey, 1940  
1 paratype Mexico
- Rhadinaea crassa** H. M. Smith, 1942  
= *Rhadinaea gaigeae* Bailey, 1937  
Holotype: FMNH 100123; 2 paratypes Mexico
- Rhadinaea forbesi** H. M. Smith, 1942  
1 paratype Mexico
- Rhadinaea gaigeae** Bailey; see *Rhadinaea crassa* H. M. Smith
- Rhadinaea hesperia** Bailey; see *Rhadinaea hesperia baileyi* H. M. Smith

- Rhadinaea hesperia baileyi** H. M. Smith, 1942  
= *Rhadinaea hesperia* Bailey, 1940  
Holotype: FMNH 100028 Mexico
- Rhadinaea schistosa** (H. M. Smith); see *Rhadinella schistosa* H. M. Smith
- Rhadinaea taeniata aemula** Bailey; see *Rhadinaea aemula* Bailey
- Rhadinella schistosa** H. M. Smith, 1941  
= *Rhadinaea schistosa* (H. M. Smith), 1941  
Holotype: FMNH 100065; 3 paratypes Mexico
- Rhamphiophis acutus wittei** Laurent, 1956  
2 paratypes Belgian Congo
- Salvadora intermedia** Hartweg, 1940  
1 paratype Mexico
- Scaphiodontophis albonuchalis** Taylor and Smith, 1943  
= *Scaphiodontophis z. zeteki* (Dunn), 1930  
1 paratype Mexico
- Scaphiodontophis z. zeteki** (Dunn); see *Scaphiodontophis albonuchalis* Taylor and Smith
- Sibon nebulata hartwegi** Peters, 1960  
Holotype: FMNH 27580 Colombia
- Sibon nebulata popayanensis** Peters, 1960  
Holotype: FMNH 54947; 12 paratypes Colombia
- Sonora michoacanensis mutabilis** Stickel, 1943  
Holotype: FMNH 105297; 1 paratype Mexico

- Stegonotus borneensis** Inger, 1967  
Holotype: FMNH 164746 Sarawak
- Sympholis lippiens rectilimbus** Hensley, 1966  
Holotype: FMNH 63743 Mexico
- Tantilla brevissima** Taylor, 1937  
1 paratype Mexico
- Tantilla wilcoxi rubricata** H. M. Smith, 1942  
1 paratype Mexico
- Thamnodynastes chimanta** Roze, 1958  
Holotype: FMNH 74042; 1 paratype Venezuela
- Thamnophis dorsalis cyclides** Cope; see *Thamnophis vicinus*  
H. M. Smith
- Thamnophis dorsalis postremus** H. M. Smith; see *Thamnophis*  
*eques postremus* H. M. Smith
- Thamnophis eques postremus** H. M. Smith, 1942  
= *Thamnophis dorsalis postremus* H. M. Smith, 1942  
Holotype: FMNH 120235; 2 paratypes Mexico
- Thamnophis melanogaster canescens** H. M. Smith, 1942  
Holotype: FMNH 100016; 50 paratypes Mexico
- Thamnophis ruthveni** Hartweg and Oliver, 1938  
1 paratype Mexico
- Thamnophis vicinus** H. M. Smith, 1942  
= *Thamnophis dorsalis cyclides* Cope, 1861  
Holotype: FMNH 100098; 6 paratypes Mexico
- Toluca conica** Taylor and Smith, 1942  
Holotype: FMNH 120233; 3 paratypes Mexico



- Trimeresurus garciai** H. M. Smith, 1940  
 = *Bothrops melanurus* (Muller), 1923  
 Holotype: FMNH 120234; 1 paratype Mexico
- Trimerorhinus tritaeniatus multisquamis** Loveridge, 1932  
 = *Psammophylax multisquamis* (Loveridge), 1932  
 6 paratypes Kenya and Abyssinia
- Tropidodipsas guerreroensis** Taylor, 1940  
 Holotype: FMNH 100070 Mexico
- Typhlops khoratensis** Taylor, 1962  
 Holotype: FMNH 178263; 3 paratypes Thailand
- Typhlops klemmeri** Taylor, 1962  
 Holotype: FMNH 178238 Malaya
- Typhlops lankaensis** Taylor, 1947  
 Holotype: FMNH 100066; 14 paratypes Ceylon
- Typhlops leprosus** Taylor and Weyer, 1958  
 Holotype: FMNH 120231 Liberia
- Typhlops malcolmi** Taylor, 1947  
 1 paratype Ceylon
- Typhlops pseudosaurus** Dryden and Taylor, 1969  
 Holotype: FMNH 189357 Guam
- Typhlops schmidti tanganicanus** Laurent, 1964  
 1 paratype Tanganyika
- Typhlops tenebrarum** Taylor, 1947  
 2 paratypes Ceylon
- Typhlops trangensis** Taylor, 1962  
 Holotype: FMNH 178236 Thailand

**Typhlops veddae** Taylor, 1947

Holotype: FMNH 100033

Ceylon

**Typhlops violaceus** Taylor, 1947

Holotype: FMNH 100068

Ceylon

**Xenodon mexicanus** H. M. Smith, 1940= *Xenodon rabdocephalus mexicanus* H. M. Smith, 1940

1 paratype

Mexico

## REFERENCES

## MARX, HYMEN

1958. Catalogue of type specimens of reptiles and amphibians in Chicago Natural History Museum. *Fieldiana, Zool.*, **36** pp. 407-496.

## WAKE, DAVID D., Chairman

1975. Final Report.—Committee on Resources in Herpetology. Association of Systematic Collections, pp. 1-39; app. 1-4.



1000

1000

1000


9







UNIVERSITY OF ILLINOIS URBANA



3 0112 018406899